

Application No. 10/823,556
Amendment Dated January 12, 2006
Reply to Office Action dated October 13, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An apparatus for driving a lens in a camera comprising:
 - a lens module slidably installed in a lens barrel;
 - a lead screw rotatably installed in the lens barrel;
 - a power transferring member assembled on the lens module, wherein said power transferring member comprises a tooth shaped part corresponding to a shape of said lead screw, and wherein said lens module comprises a mounting unit adapted to movably receive the power transferring member, said power transferring member having a first orientation in which said power transferring member is removable from said mounting unit and a second orientation in which said power transferring member is not removable from said mounting unit.
2. (original) The apparatus of claim 1, further comprising a driving motor, wherein said lead screw is adapted to be rotated by the driving motor.
3. (currently amended) The apparatus of claim 1, wherein the mounting unit comprises a through groove adapted to ~~receive~~ receive a first end of the power transferring member.
4. (original) The apparatus of claim 3, wherein said first end of the power transferring

member is conical.

5. (original) The apparatus of claim 1, wherein the mounting unit comprises a slit groove adapted to receive a second end of the power transferring member.
6. (original) The apparatus of claim 5, wherein said second end of the power transferring member is movable in a direction perpendicular to a sliding direction of the lens module.
7. (original) The apparatus of claim 5, wherein said slit groove has a first slit part and a second slit part, the first slit part having a width smaller than a width of the second slit part.
8. (currently amended) The apparatus of claim 7, wherein said second end of the power transferring member has a cross section having a first width corresponding to the width of the first slit part, and a second width ~~corresponding~~ corresponding to the width of the second slit part.
9. (currently amended) The apparatus of claim 8, wherein said power transferring member is rotatable about a longitudinal axis such that in a the first orientation said second end is movable through said first slit part, and in a the second orientation said second end is not movable through said first slit part.
10. (new) The apparatus of claim 1, wherein said mounting unit is integrally formed with a

Application No. 10/823,556
Amendment Dated January 12, 2006
Reply to Office Action dated October 13, 2005

slider connected to the lens module.

11. (new) The apparatus of claim 1, wherein an object lens and a barrel cover are disposed at one end of the lens barrel.